

# SOYBEANS



**S007-C2E3<sub>BRAND</sub>**

RM:  
0.07

**NEW**

CHU:  
2425



## Consistent Performance with Excellent Agronomics

- Excellent Iron Deficiency Chlorosis tolerance
- Strong standability and tolerance to White Mould
- Rps1c/3a gene stack with strong Phytophthora field tolerance

## Plant Characteristics

Plant Height	<b>Medium-Tall</b>
Canopy Index	<b>-</b>
Branching	<b>Light</b>
Growth Habit	<b>Indeterminate</b>
Flower Colour	<b>Purple</b>
Pubescence Colour	<b>Gray</b>
Pod Colour	<b>Brown</b>
Hilum Colour	<b>Yellow</b>
Chloride Sensitivity	<b>Includer</b>

## Disease Ratings

Phytophthora Root Rot	3
Southern Stem Canker (Resistant)	9
Iron Deficiency Chlorosis	3
Brown Stem Rot (-)	6
Charcoal Rot (-)	6
Soybean White Mould	3
Pod & Stem Blight (-)	6
Sudden Death Syndrome (-)	6
Frogeye Leaf Spot (-)	6

## Agronomic Traits

Emergence	<b>3</b>
Standability	<b>3</b>
Shatter Tolerance	<b>3</b>
Green Stem	<b>2</b>
Estimated Seed Size	<b>-</b>
Protein	<b>-</b>
Oil	<b>-</b>
Narrow Rows	<b>Best</b>
Wide Rows	<b>Good</b>
Metribuzin Response	<b>Resistant</b>
Sulfentrazone Response	<b>-</b>

## Diseases and Pests

Phytophthora Root Rot (PRR) Source	<b>Rps1c, Rps3a</b>
Soybean Cyst Nematode (SCN) Races	<b>S</b>
(SCN) Source	<b>NA</b>
Root Knot Nematode (RKN) Incognita	<b>-</b>

## Adaptation to Soil Types

Drought Prone	<b>Good</b>
High pH*	<b>Best</b>
Highly Productive	<b>Good</b>
Moderate/Variable Environments	<b>Best</b>
Poorly Drained	<b>Best</b>

1-9 Scale: 1 = Best, 9 = Worst, (-) = Not Available, NA = Not Applicable.  
Adaptation and Responses: Best > Good > Fair > Poor.

R = Resistant, S = Susceptible.

\* Represents an assessment of stand establishment, chlorosis severity and yield performance

Performance evaluations are based on field observations and public information. Data from multiple locations and years should be consulted whenever possible. Individual results may vary depending on local growing, soil and weather conditions. IMPORTANT: ALWAYS READ AND FOLLOW SEED BAG/TAG DIRECTIONS.

BASF, LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF Group. Only seed labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides. Only 2,4-D choline formulations with Colex-D® Technology are approved for use with Enlist E3® soybeans. The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience LLC and MS Technologies LLC. Enlist® and Enlist E3® are registered trademarks of Corteva Agriscience LLC. Trademarks and service marks are the property of their respective owners. © 2025 Syngenta.

Protein and Oil: Ultra High > Very High > High > Average > Low.

Canopy Index: Reflects plant height, width and branching. 1 = Smallest, 9 = Largest.



Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn and soybeans, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control.