## **SOYBEANS**



### S08-Z4E3<sub>BRAND</sub>

RM: CHU: 2725



# **Excellent Standability and Plant Health for Highly Productive Acres**

- Above average tolerance to Soybean White Mold
- · Performs South of zone with strong tolerance to SDS
- Excellent emergence for variable acres

#### **Plant Characteristics**

Plant Height	Medium
Canopy Index	5.61
Branching	Prolific
Growth Habit	Indeterminate
Flower Colour	Purple
Pubescence Colour	Gray
Pod Colour	Tan
Hilum Colour	Imperfect Black
Chloride Sensitivity	Excluder

#### **Disease Ratings**

									]
Phyt	ophth	ora Ro	ot Rot						l
Sout	hern S	tem C	anker	(Res	istant)				l
Iron	Deficie	ency C	hloros	sis					l
Brov	vn Ste	m Rot	(-)						l
Char	coal F	ot (-)							ı
Soyl	ean V	Vhite N	/lould						l
Pod	& Ster	n Bligl	nt (-)						l
Sudo	den De	eath Sy	yndror	ne					l
Frog	eye Le	af Sp	ot (-)						l
,	9 8	8	7 (	6	5 4	4	3	2 BE	ST

#### **Agronomic Traits**

Emergence	2
Standability	2
Shatter Tolerance	3
Green Stem	3
Estimated Seed Size	-
Protein	High
Oil	Average
Narrow Rows	Best
Wide Rows	Good
Metribuzin Response	Best
Sulfentrazone Response	Best

#### **Diseases and Pests**

Phytophthora Root Rot (PRR) Source	Rps1k
Soybean Cyst Nematode (SCN) Races	R3
(SCN) Source	PI88788
Root Knot Nematode (RKN) Incognita	-

#### **Adaptation to Soil Types**

Drought Prone	Good
High pH*	Best
Highly Productive	Good
Moderate/Variable Environments	Best
Poorly Drained	Good

1-9 Scale: 1 = Best, 9 = Worst, (-) = Not Available, NA = Not Applicable.

Adaptation and Responses: Best > Good > Fair > Poor.

R = Resistant, S = Susceptible.

Protein and Oil: Ultra High > Very High > High > Average > Low. Canopy Index: Reflects plant height, width and branching. 1 = Smallest, 9 = Largest

Seet products with the blertyLink® (LL) that are testsatin to the herbicide glufosinate ammonium, an alternative to glyphosate in corn and soybeans, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for ootimum yield and excellent weed control.

\* Represents an assessment of stand establishment, chlorosis severity and yield performance

Performance evaluations are based on field observations and public information. Data from multiple locations and years should be consulted whenever possible. Individual results may vary depending on local growing, soil and weather conditions. IMPORTANT: ALWAYS READ AND FOLLOW SEED BAG/TAG DIRECTIONS.